


DEKA P

EAVY DUTY DEGREASER AND WAX STRIPPER- DETERSOLVENT



GENERAL DESCRIPTION

DEKA P is a deter solvent formulated for the removal of grease, old coats of wax and sealers from the floors. It is particularly indicated for concrete, terracotta or wooden floors with residues of linseed oils, waxes, grease and acrylic sealers.

DIRECTIONS FOR USE

Use **DEKA P** at 10-20% with a rotary machine equipped with a brown or black pad. Rinse well after washing. Rinse twice before application of floor polishes: rinse first with 1-2% solution of DETAR or DEKACID, and then with warm water. In case of stubborn residues apply the product pure, let act and rinse with warm water while working with the machine. In case of wood floors apply the product pure, then rinse with warm water and vacuum off rapidly.

TECHNICAL DATA

Appearance	Light yellow liquid
pH	12.8 ± 0.2
pH 5%	11.3
Density	0.996 g/ml
Active contents	50%

Chemical composition – Reg. (EC) 648/2004

- Non-ionic surfactants	conc. < 5%
- Anionic surfactants	conc. 5-15%
- Aromatic hydrocarbons	conc. 5-15%
- Soap	conc. < 5%
perfumes	

The product contains surfactants with primary biodegradability at least 90% and ultimate aerobic biodegradation complying with Reg. (EC) No. 648/2004.

WARNINGS

Do not use **DEKA P** on linoleum floors (jute backing). On this type of floor DEKA P NEUTRO pH 7 must be used. Before applying wax or protective products wait until the solvent smell disappears to allow the complete evaporation of the solvents contained in the product.

Labelling



Danger

May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

Product subject to ADR Norms: **UN 3267 Class 8 III.**

Read carefully the safety data sheet before use.